

WATERS
TherapyShower

Beautifying body and soul..

Waters Therapy Shower

Waters Co., Ltd

About Waters Co., Ltd



WATERS
Therapy Shower



Waters is..

***Waters Co., Ltd has been researching only water
for 35 years since its establishment in 1977
and is a water- specialized
company who has to have insisted
only on water- related products.***



[프랑스/스위스/스페인]
국제품질최고상수상



Product Concept

제 품의 컨셉

WATERS
TherapyShower

Shower + Therapy

단순한 샤워의 개념을 넘어 테라피효과까지 누릴수있는 신개념의 샤워기로,
현대인의 지친 몸과 마음을 아름답게 가꾸어줍니다!



Shower + Therapy

What is Waters Therapy Shower?

It is a functional shower available to enjoy to clean our body and mind together with therapy effect at the same time through shower.

It was developed for surpassing the existing concept of shower to suggest a new concept, functional shower, suitable for well being society today.



Shower water is as important as drinking water!

Going further from shower with residual chlorine- free water, can we enhance our health and outer beauty during shower?

Here we made this for you!



Product name	Waters Therapy Shower
Origin	Made in Korea
Size	130mm(H) x 45Φ
Lifespan	10,000 Liters

SHOWER + THERAPY

WATERS
TherapyShower

**Aroma
Therapy**

Vitamin C

**Residual
Chlorine- free**

Collagen

**Magnetization
/ Soft water**



Residual Chlorine Removal

The Functions of Waters Therapy Shower

WATERS
Therapy Shower

Residual Chlorine Removal

Clean Water

Free yourself from concerns on skin trouble and hair loss from residual chlorine

Waters therapy shower completely removes the residual chlorine in tap water, providing clean and safe water with no concern on skin trouble or hair loss

Tap water is treated with chlorine in order to kill germs and viruses. However, Even the slightest amount of residual chlorine can be harmful to skin and cause hair damage.

Damaged hair by chlorine



Healthy hair


In addition to the toxicity directly effecting on human body, what we must remember is that the residual chlorine undergoes chemical reaction with other organic compounds in the water and generates trihalomethane which is a well- known carcinogen.




Harmful effects of residual chlorine

The residual chlorine in tap water, which has strong oxidizing power available to kill body cells even at low concentration levels:

- 1. Roughens skin and accelerates skin aging**
- 2. Dries skin and leads to skin troubles (skin cancer, atopic syndrome) including itching.**
- 3. Causes hair loss, discoloration and dandruffs by degenerating hair protein .**
- 4. Bonds with organic compounds in tap water, and forms carcinogenic such as trihalomethane.**



The residual chlorine (Cl) is absorbed to human body through digestive organs, skin and respiratory organs. A surprising fact is that more active chlorine is absorbed to a body during taking a shower rather than drinking water. Residual chlorine (Cl) easily volatilizes during shower, diffuses in the air, and is concentrated in a closed bathroom.



Therefore the amount of chlorine absorbed through skin and respiratory organs during shower is 3 to 4 times greater than that absorbed by drinking water. Meanwhile, the US medical society has been pointing out the risk from the chronic intake of chlorine during taking a shower



Body absorption of the residual chlorine (Cl) during shower

Residual chlorine (Cl) easily volatilizes during shower, diffuses in the air, and is concentrated in a closed bathroom.

Residual Chlorine Test

The residual chlorine in tap water may be verified by the reagent being sold in the market . The reagent has a characteristic to turn water yellowish if the tap water contains residual chlorine.

Prepare two beakers first, then pour tap water into the first beaker and the water passed through Waters therapy shower into the second beaker, input two or three drops of the reagent to both beakers, then only the tap water containing residual chlorine in the first beaker is turned yellowish




Tap Water

Therapy Shower

Superb chlorine removal function

Waters Therapy Shower's residual chlorine removal system



Waters Therapy Shower is a new technology product that removes residual chlorine perfectly and provides beneficial ingredients such as Melaleuca oil, vitamin C and more, by putting active ingredients such as vitamin C, collagen, etc in cartridge, and while water is brushing against the cartridge, not penetrating into it, enabling the active ingredients of filter to react with water.

Aroma therapy

The Functions of Waters Therapy Shower

Effects of Aroma Therapy - France Lavender oil

Aromatherapy

Clean even your soul with aroma!

The aroma of Waters Therapy Shower can vitalize the modern people tired of stress.

Enjoy the far upgraded well- being shower with Waters Therapy Shower.



Waters therapy shower utilizes the aroma therapy that helps the aroma beneficial for our body to be absorbed into our body through nose, mouth, skin, and mucous membrane during shower

Effects of Aroma Therapy

Outstanding nervous tranquilization

Relieves tension and prevents diseases from stress.

Excellent skin beautification

Directly transfers the natural vitality of plant to the skin.

Cleansing and filling atmosphere with fragrance

Removes various orders basically.

Pleasing and activating body functions



Vitamin C

The Effects of Vitamin C

Vitamin C



Soften your rough skin with Vitamin C!


Waters Therapy Shower consistently supplies Vitamin C, which has some advantages to revitalize skin, improve deep wrinkles, soften skin, supply nutrients, retain moisture and make skin healthy . Now rejuvenate and refresh your skin with Vitamin C shower.

Vitamin C. Applying is faster than taking !

Vitamin C is a typical anti- oxidant, and it is supremely beneficial to skin as much the influence over a body. Unfortunately, a human body discharges the amount of vitamin C unnecessary for the interior of body, so the amount of vitamin C absorbed by taking can not influence over skin . For skin care, the best way is to apply Vitamin C.



The Effects of Vitamin C



Collagen


The Effects of Collagen

Collagen


Vivid and elastic skin. Make up with Collagen!

Feel the luxury of functional shower through Waters therapy shower, which contains collagen to increase the flexibility and elasticity of skin.

Method for the effective absorption of collagen through skin



〈샤워전 모공에 침투시〉




〈샤워중 모공에 침투시〉



The Functions of Waters Therapy Shower

What is Collagen?

Collagen is a component playing a role as the main protein for all connective tissues including skin, veins, bones, teeth, and muscles. As Collagen takes about 70% skin tissues and about 90% dermis, it performs the function to maintain skin moisture and control elasticity.



3D – Structure of Collagen

➔ **Protects skin from ultraviolet rays and prevents chloasma, freckles.**

➔ **Prevents wrinkles.**

➔ **Improves elasticity of the skin.**

➔ **Prevents skin aging.**



Shower + Therapy

WATERS
TherapyShower

Function of W Therapy Shower

- ***Removes the residual chlorine and harmful chlorine compound in tap water to prevent skin damage from chemicals.***
- ***Softens hair and effectively prevents hair damages and hair loss from residual chlorine.***
- ***Effectively beautifies skin through the effect of collagen that strengthens the flexibility and elasticity of skin.***
- ***Vitamin C supplies nutrients to the skin, and its anti-oxidant effect helps prevent skin aging.***
- ***The aroma soothes body and soul, relieves stress, and is effective to recover from fatigue.***
- ***Changes water to functional water through magnetization .***
- ***Softens water to enjoy a more pleasurable shower.***
- ***Atopic patients from chlorine may see immediate benefit from the shower.***



Shower + Therapy

WATERS
TherapyShower

Economic and Convenient Advantages of Waters Therapy Shower

- ***It can be installed to the existing old showerhead. There is no need to replace the old one.***
- ***It can make us use soft water at a reasonable price in place of an expensive water softener.***
- ***It is very economical because we can utilize it again simply by replacing an internal cartridge.***
- ***It does not require an additional equipment for installation, and allows everyone to install and to replace cartridges with easy because the process is so easy.***
- ***It gives some conveniences to grab and use through the compact external design. It can save your water and energy costs.***



Shower + Therapy

WATERS
TherapyShower

Easy installation

**Waters Therapy Shower is easy to install.
It is easily installed, dismantled, and even carried around on your trip!**

STEP1

**Open the package and check the included items.
Then take out the outer case from Therapy Shower
and insert cartridge into the bottom of case.**

STEP2

**As shown the figure, assemble it with upper part of
Therapy Shower case.
(The repulsive force occurred during this step is
normal as caused by magnetic.)**

STEP3

**Make sure to turn off water tap before installation.
Dismantle the existing shower as shown in the figure.
(Use gloves to make dismantling procedure easier.)**

STEP4

**Combine the bottom part of Waters Therapy Shower
body which has been assembled in STEP2 with
hose.**

STEP5

Combine shower head and upper part.



**When installed
with other shower
head**



**When installed
with dedicated
shower head**

Experiencing refreshing massage and forest bathing during your shower

Waters Therapy Shower Head



Waters Therapy Shower Head is:

Totally new concept of wellbeing shower head from Waters which is specially designed to bring you to have completely new experience of shower, feeling like forest bathing during your shower, which you cannot get with other traditional shower heads.

Key Features

Anion effect

Filtering rust / impurities

Massage effect

Water saving / increasing water pressure

Anion effect

The sprinkler plate designed by Waters' sophisticated technology ejects hundreds of thousands of anions, giving maximum refreshment with forest bathing like experience.

*20 times of
traditional shower head!
It ejects 250,000
anions at a time.*

The new concept of sprinkler plate equipped in shower head generates more anion than forest does, providing real forest bathing- like experience at your home.



Key Features

Anion effect

Filtering rust / impurities

Massage effect

Water saving / increasing water pressure

Micro pad filter

The micro pad filter installed in shower head filters all the impurities such as rust and more, providing protection for your skin and clean and pure water for shower.



마이크로패드 필터



Key Features

Anion effect

Filtering rust / impurities

Massage effect

Water saving / increasing water pressure

Strong but soft massage effect

***The sprinkler plate with the
state- of- art technology gives
comfortable stimulation,
making you feeling soft touch
of water and massage effects.***



Traditional Shower Head



Waters Therapy Shower Head



Key Features

Anion effect

Filtering rust / impurities

Massage effect

Water saving / increasing water pressure

Waster saving / increasing water pressure

It allows equivalent water pressure with half of water compared with traditional shower head, saving the amount of water consumption by about 50%. It additionally increases the water pressure, enabling a shower with proper level of water pressure even in the houses with lower water pressure.

***“ No more waster of water, now you
can see water saving and increased
water pressure with Melaleuca shower
head.”***

Water pressure

수압 ↑

절수
50%

Water saving

구성품 : 테라피샤워 외관케이스, 카트리지, 잔류염소 측정시약 키트, 사용설명서

고급스런 패키지디자인
고급스런 패키지 디자인으로
선물용으로도 아주 좋습니다.



잔류염소 측정시약

수돗물속의 잔류염소와 테라피샤워기를 통과한
물의 잔류염소를 비교하는 시약세트입니다.

테라피샤워 사용설명서
설치방법 및 제품관련
설명이 자세히 나와 있습니다.

테라피샤워 카트리지가
간편하게 외관케이스안에 넣어
조립하고 사용합니다.

테라피샤워 외관케이스
속에 카트리지를 넣어
기존의 샤워기와 결합합니다.

워터스테라피샤워 헤드



교체용카트리지

안전하게 2중포장(알루미늄팩우치)으로 아로마향(라벤더향)
이 새어나가는것을 방지하며, 10,000리터 교체시기에 따라
손쉽게 카트리지를 교환이 가능합니다.

교체용카트리지의 가격은 30,000원 입니다.

WATERS
TherapyShower




고급스러운
디자인

크롬 도금으로 고급스러움과
디자인 호환성을 극대화 시켰습니다.



화이트 펄로 코팅하여 깨끗한 느낌
을 주며, 미적 아름다움을
더했습니다.



Test Certificate / Safety Test

WATERS
Therapy Shower



Waters Therapy Shower has successfully passed skin and eye stimulation tests from a number of nationally accredited institutions.

TEST REPORT

한국화학융합시험연구원 KTR

시험대상: Waters Therapy Shower

시험일자: 2015.08.04

시험장소: KTR

시험결과:

구분	시험항목	시험결과	기준
1	잔류염소	0.01	0.1 이하
2	잔류염소	0.01	0.1 이하
3	잔류염소	0.01	0.1 이하
4	잔류염소	0.01	0.1 이하
5	잔류염소	0.01	0.1 이하
6	잔류염소	0.01	0.1 이하
7	잔류염소	0.01	0.1 이하
8	잔류염소	0.01	0.1 이하
9	잔류염소	0.01	0.1 이하
10	잔류염소	0.01	0.1 이하
11	잔류염소	0.01	0.1 이하
12	잔류염소	0.01	0.1 이하
13	잔류염소	0.01	0.1 이하
14	잔류염소	0.01	0.1 이하
15	잔류염소	0.01	0.1 이하
16	잔류염소	0.01	0.1 이하
17	잔류염소	0.01	0.1 이하
18	잔류염소	0.01	0.1 이하
19	잔류염소	0.01	0.1 이하
20	잔류염소	0.01	0.1 이하

시험장소: KTR

시험일자: 2015.08.04

시험장소: KTR


Residual chlorine test
(per 10,000 liters)



Skin irritancy test



Vitamin and collagen
content analysis



Eye irritancy test



YOUR PARTNER FOR THE BEST QUALITY

TEST REPORT

7-6, Gomak-Ri, Wolgot-Myeon, Gimpo-Si, Gyeonggi-Do, KOREA

TEL 82-31-999-3000

FAX 82-31-999-3001

Report No : TAH-000911

Receipt Date : Feb.08.2011

Client : Kyung-Suk Bae

Test Completion Date : Feb.23.2011

WATERS

#516, Dangha-Dong, Seo-Gu, Incheon-Si, Korea.

Sample : WATERS Therapy Shower

TEST RESULTS

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Residual Chlorine	mg/L	Raw water	0.8	Standard methods for the examination of environmental pollution(drinking water) : 2010

Residual Chlorine

Residual Chlorine

Residual Chlorine

Residual Chlorine

Residual Chlorine

Residual Chlorine

Residual Chlorine

Residual Chlorine

Residual Chlorine

Ju-Hee Lee

Prepared by Ju-Hee Lee
Tel: +82-31-999-3153
E-mail: juheelee@ktr.or.kr



YOUR PARTNER FOR THE BEST QUALITY

TEST REPORT

7-6, Gomak-Ri, Wolgot-Myeon, Gimpo-Si, Gyeonggi-Do, KOREA

TEL 82-31-999-3000

Report No : TAH-000911

Receipt Date : Feb.08.2011

Client : Kyung-Suk Bae

Test Completion Date : Feb.23.2011

WATERS

#516, Dangha-Dong, Seo-Gu, Incheon-Si, Korea.

Sample : WATERS Therapy Shower

TEST RESULTS

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Residual Chlorine	mg/L	8000L	0.0	Standard methods for the examination of environmental pollution(drinking water) : 2010
Residual Chlorine	mg/L	9000L	0.0	Standard methods for the examination of environmental pollution(drinking water) : 2010
Residual Chlorine	mg/L	10000L	0.0	Standard methods for the examination of environmental pollution(drinking water) : 2010

* All water samples was made and provided by client.

USAGE : QUALITY CONTROL

NOTE : 1. The test results on this test report are only limited to the samples and sample names provided by the customer and KTR do not guarantee the quality of all products of the customer.
2. This test report shall not be used for public relation, advertisement, lawsuit and any other purposes outside the scope of its defined usage.

KTR KOREA TESTING & RESEARCH INSTITUTE

Ju-Hee Lee

Prepared by Ju-Hee Lee
Tel: +82-31-999-3153
E-mail: juheelee@ktr.or.kr

Ju-Hee Lee

Reviewed by Ju-Hee Lee
Technical Manager
E-mail: jh554@ktr.or.kr

Feb.23.2011

Korea Testing & Research Institute

President

Kyung Suk Bae

2 of Total 2 Page(s)

전자문서본(Electronic)



KTR KOREA TESTING & RESEARCH INSTITUTE

WATERS
Therapy Shower

TEST ITEM	UNIT	SAMPLE	RESULT	TEST METHOD
Residual Chlorine	mg/L	Raw water	0.8	Standard methods for the examination of environmental pollution(drinking water) : 2010
Residual Chlorine	mg/L	10000L	0.0	Standard methods for the examination of environmental pollution(drinking water) : 2010

Test Report

Report No. : 11-113-02
page (1)/(2)

1. Client

516 Dang-Ha Dong In-Choen, South Korea, WATERS CO., LTD.

2. Test purpose : Report submission

3. Sample name

Sample name	Sample ID
Waters therapy shower	103506-1

4. Test period : 2011. 2. 15~ 2011. 2. 27.

5. Test method

The Quantitative analyses of Vitamin C and Collagen supplied as a name of Water shower were performed by HPLC and UV-VIS.

6. Results : Attached page (Table 1.)

Analyzer Researcher Kiwoong. Jung	(Signature) <i>Kiwoong Jung</i>	QA Director Director Seosu. Chu	(Signature) <i>Seosu Chu</i>
---	------------------------------------	---------------------------------------	---------------------------------

JUNE, 10, 2011

Korea Polymer Testing & Research Institute (KOPTRI) Ltd.
(ISO 17025 Certified Laboratory)



Korea Polymer Testing & Research Institute, Ltd. (KOPTRI)

24-194 Sangwolmok-dong, Sungbook-ku, Seoul 136-120, Korea TEL:+82-1588-1574 FAX: +82-2-963-2587

Results

Table 1. Concentrations of Vitamin C and Collagen in Waters therapy shower

Item	Unit	Method	Detection limit	Result
Vitamin C	%	HPLC ¹⁾	0.01	72.10
Collagen	%	UV-Vis ²⁾	0.01	2.32

- Note) 1) HPLC = High Performance Liquid Chromatography

2) UV-Vis = UV-vis spectrometer

FINAL REPORT(Draft)

Dermal Irritation Study of Water that passed through the Waters Therapy Shower in Rabbits

Study No. : GT11-00001

April 2011

the way to trust **kcl** 한국건설생활환경시험연구원
Korea Conformity Laboratories
Bioconvergence Technology Dept.

5. DISCUSSION AND CONCLUSION

This study was performed to evaluate skin irritation potential of Water that passed through the Waters Therapy Shower in six male New Zealand White Rabbits. The test substance was applied to the skin of NZW rabbits at the dosage 0.5ml for 24 hours. Parameters (mortalities, clinical signs, body weight changes) were measured and the response of each skin irritation was observed at 24 and 72 hours after application. The findings were as follows :

No clinical sign and mortality was observed relating to test substance treatment.

There was temporarily decreasing body weight in the next day of application. But body weight during study period increased normally. No treatment-related mean body weight changes were observed.

On skin reaction of the test substance abrasion sites showed very slight erythema in two animals at 24 hours, and there was no reaction at 72 hours. The test substance intact site showed no skin reaction at 24 and 72 hours observation.

The calculated Primary Irritation Index(P.I.I.) of the test substance were 0.1 at 24 and 72 hours.

On the basis of the above results, Water that passed through the Waters Therapy Shower on dermal application of New Zealand White rabbit was classified as a non irritant.

FINAL REPORT(Draft)

Eye Irritation Study of Water that passed through the Waters Therapy Shower in Rabbits

Study No. : GT11-00002

April 2011

the way to trust **KCL** 한국건설생활환경시험연구원
Korea Conformity Laboratories
Bioconvergence Technology Dept.

GT11-00002

the way to trust **KCL** 한국건설생활환경시험연구원
Korea Conformity Laboratories

5. DISCUSSION AND CONCLUSION

To evaluate ocular irritation potential of Water that passed through the Waters Therapy Shower Wed, nine male NZW rabbits were used to this study. After application of the test substance into the conjunctival sac at dosage 0.1ml, the mortality, clinical signs, the change of the body weight, irritant signs of eyes were evaluated.

As a result, there were no mortality, abnormal clinical sign and body weight change induced by test substance treatment.

There no specific observation result of the test substance applied area in both rinsed and non-rinsed group animals at 1, 2, 3, 4, and 7 days. They were same in control sites.

In conclusion, through the test conditions like this study, Application of Water that passed through the Waters Therapy Shower Wed showed no mortality and body weight change in male New Zealand White rabbit and eye irritation (I.A.O.I.) were determined as 0.0 (Non Irritant) in both rinsed and non-rinsed group animals followed by 「Table 3. Evaluation of eye irritation」.

On the basis of the above results, on eye application of Water that passed through the Waters Therapy Shower Wed in new Zealand White rabbit was classified as a none irritant.

한국환경수도연구원

서울특별시 양천구 양재동 6가 89-3
TEL: 02-2637-1234 FAX: 02-2631-8767



Korea Environment & Water Works Institute
#88-3, 8ga, Yang pyung-dong, Yeongdongpo-gu,
Seoul, Korea
Tel: +82-2-2637-1234 Fax: +82-2-2631-8767

시험 성적서

WATERS
Therapy Shower

<Water Saving Test>

Client Name : Waters Co., Ltd Certificate No. : 일반-120164
Address : 516, Danghe-dong, Seo-gu, Incheon-si, Korea Date of Enforcement : Mar. 7, 2012
Test Sample : WATER Therapy Shower ect. Use of Report : Quality Managem
Date of Receipt : Feb. 28, 2012 Date of Test : Feb. 28, 2012
Testing Environment : Temperature : 19 °C, Relative Humidity : 32 % R.H.
Test method used : Refer to below

Test Results

Item	Unit	Result	
		WATER Therapy Shower	General Shower
Flow rate	L/min	7.95	14.04

* Test Condition (Suggested by client) :

- Tap water was passed through test sample and flow rate was measured.
- Water Pressure : 1 kgf/cm²

Notice 1. The results shown in this test report refer only to the offered sample by client.

2. The test report cannot be used for the purpose of litigation or advertising, and shouldn't be republished without document approval.

Received by Name

Min Hyunkee

Tested by Name

Kim Kitae

Technical Manager Name

Song Minhyoung

Korea Environment & Water Works Institute

1 / 1 The End.

한국환경수도연구원

서울특별시 영등포구 양평동 6가 86-3
TEL: 02-2637-1234 FAX: 02-2631-8767



Korea Environment & Water Works Institute
#86-3, 6ga, Yang pyung-dong, Yeongdongpo-gu,
Seoul, Korea
Tel: +82-2-2637-1234 Fax: +82-2-2631-8767

시험 성적서

Provided sample

Client Name : Waters Co., Ltd Certificate No. : 일반-120215
Address : 516, Danghe-dong, Seo-gu, Incheon-si, Korea Date of Enforcement : Mar. 21, 20
Test Sample : WATER Therapy Shower ect. Use of Report : Quality Manag
Date of Receipt : Mar. 15, 2012 Date of Test : Mar. 15, 20
Testing Environment : Temperature : 12 °C, Relative Humidity : 32 % R.H.
Test method used : Refer to below

Test Results

Item	Unit	Result		Remark
		WATER Therapy Shower	General Shower	
Water Pressure	kgf/cm ²	1.3	1.0	-

* Test Condition (Suggested by client) : Water passed through each test sample to the same pressure, and water pressure was measured in front of the test sample.

Notice 1. The results shown in this test report refer only to the offered sample by client.
2. The test report cannot be used for the purpose of litigation or advertising, and shouldn't be republished without document approval.

Recepted by Name : Min Hyunkee
Tested by Name : Kim Kitar
Technical Manager Name : Song Minhyoung

Korea Environment & Water Works Institute

1 / 1 The End.

FPC05-3B(11)

Korea Environment & Water Works Institute

A4(210×297)

WATERS
Therapy Shower

<Increased Water Pressure>

Item	Unit	Result		Remark
		WATER Therapy Shower	General Shower	
Water Pressure	kgf/cm ²	1.3	1.0	-

<Anion Test>



KIFA
KOREA FAR INFRARED ASSOCIATION
KOREA INSTITUTE OF FAR INFRARED APPLIED ESTIMATION

174-12, Seokcho-dong, Songpa-gu, Seoul, Korea <http://www.kifir.or.kr> TEL 82-2-2303-0037 FAX 82-2-2303-0051

CERTIFICATE OF TESTING RESULT

Serial No. of Issue : KFIM-193
Name of Applicant : Bae Kyung Suk [Waters Co., Ltd.]
Address of Applicant : 516, Dangha-dong, Seo-gu, Incheon, Korea
Date of Receipt : 5. 12. 2011
Name of Test Sample : Waters Therapy Shower Head

TEST RESULTS

Test Item	Anion(Ion/cc)
Sample	
Waters Therapy Shower Head	212,800

- 1) Test Method : KIFA-FI-1042
- 2) Test Condition : Distance 20 cm
- 3) The above experiments were conducted using ION analysis conditions of temperature 21°C, and humidity 32% and anion 104/cc of the atmosphere. An anion from the sample was measured. The results were shown anion number per unit volume.
- 4) Usage : Quality control. End.

* This certificate of testing result shall be used within the purpose of the test.

5 16
month day

Signed *Choi T. S.*

COPY

The director of Korea Institute of
Far Infrared Applied Estimation

TEST RESULTS

Test Item	Anion(Ion/cc)
Sample	
Waters Therapy Shower Head	212,800



Korea Textile Development Institute
1083, JUNGR1-DONG, SEO-GU, DAEGU, KOREA
TEL +82.53.560.6640, FAX +82.53.560.6649

Report No.
2012-00446



TEST REPORT

1. Client

◇ Company : WATERS.CO.,LTD
◇ Address : 516 Dang-Ha Dong In-Choen, South Korea
◇ Sample Received Date: March 16, 2012 ◇ Report Issued Date: March.19.2012

2. Use of Report :

3. Test Sample: < Therapy Shower Micro Pad >

4. Test Performing Period: March.16.2012 ~ March.19.2012

5. Testing Environment Condition: Temperature (20±2) °C, Relative Humidity (65±2) % R.H.

6. Remarks:

Page 1 of 1

Tests and Methods	Results	Remarks
	Sample 1	
Pore Sizer (micron)		POROMETER
mean pore size	53.0846	

<The pore size of Micro Pad>

ktid

Tests and Methods	Results	Remarks
	Sample 1	
Pore Sizer (micron)		POROMETER
mean pore size	53.0846	



Affirmation	Tested by	Technical Manager
	Name <i>Kim Il-Mun</i>	Name <i>Kim Seo Yeon</i> (Signature)

C. S. Kim
President of KTDI

User Reviews

WATERS
Therapy Shower

Perfect shower in compact size and at affordable price. It is highly appreciated by our customers!



My skin has been really improved!

I purchased it on February and has been using so far. From my experience....10,000 liters do not come straight to head, but it seems that family with 3 members can use it for 3 or 4 months long. It has great scent of lavender so my place is always full of lavender aroma. **It has worked and improved my skin**, because I used to have a little bad skin I guess. **My favorite point on this product is that it definitely reduces skin irritancy.**



Mini water softener makes me feel great!

Scented mini water softener, I get feel great whenever I use it! I go to bathroom more than twice a day and the **aroma pampers my nose all the time**. It seems like to **be full of functions which are good for atopic diseases as well as hair, and soften shower water.**



I think it is awesome but can't explain properly!

As I can feel the change of my skin and hair only by using Waters Therapy Shower, it is reminder of the importance of water. Dandruffs has been disappeared appreciably. It is awesome product that gives me striking effect at affordable price. I have been using it for just 14 days but it has been working greatly. Therefore, I believe that it must be great product.